

[Download](#)

**Download**



---

Ashampoo Burning Studio Crack. Ashampoo Burning Studio Portable Free Download Ashampoo Burning Studio for PC is the best burning utility which can be used to burn any kind of files to any data media such as CD, DVD, Blu-ray, etc. Q: Text shown only when tool-tip is shown I have a table where each row has an icon as well as a data-attribute. In the data attribute i have a tooltip. When i hover on the icon, the tooltip shows up fine. But when i hover on the data attribute of the row, the tooltip does not show up. I want that the tooltip should show up for any event whether its hover on icon or data attribute. How can i do this? A: try this: `$(function() { $('table tr').hover(function() { $('#info').show(); }, function() { $('#info').hide(); }); });` Demo And you can do like this if you want to show only in hover on icon or table row and in all case you hover over any one of them: `$(function() { $('table tr').hover(function() { $('#info').show(); }, function() { $('#info').hide(); }); });` DEMO Q: Camel redelivery without header camel-cxf I'm trying to implement redelivery of a spring data rest response by using camel-cxf and camel-redelivery but i can't seem to find how to pass headers to my downstream component. The code that i have right now, `from("direct:from_cxf_to_spring_data").routeId("spring-data-rest-cxf-header").to("bean:mybean?method=getSomething").log("${body}")`; The redelivery works fine if my body is 2d92ce491b